STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	15G213	A. BUILDING _____ B. WING _____	C 10/05/2011

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
VOCA CORPORATION OF INDIANA	414 W BROADWAY ETNA GREEN, IN 46524

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
W 000	INITIAL COMMENTS This visit was for investigation of complaint #IN00096413. Complaint #IN00096413: SUBSTANTIATED - No deficiencies related to the allegation were cited. Dates of Survey: October 4, and 5, 2011. Surveyor: Susan Eakright, Medical Surveyor III/QMRP Provider Number: 15G213 Facility Number: 000739 AIM Number: 100243250 Voca Corporation of Indiana was found to be in compliance with 42 CFR, Part 483, Subpart I, and 460 IAC 9 in regard to the investigation of complaint #IN00096413. Quality Review completed 10/13/11 by Ruth Shackelford, Medical Surveyor III.	W 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.